

7	Advertisement & Hoardings	Rs. 250 / kVA/ month	Rs. 8.50kVAh	1.681116	0.53	244	0.37	203	0.02	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.03	16.28	18.64	0.04				
7.1	Peak Hours (ToD)									0.00			0.00																								
7.2	Off-Peak Hours (ToD)									0.00			0.00																								
Enforcement -Advertisement & Hoardings (See Note 3)																																		32.56	37.27		
8	Temporary Supply			1.065377	39.90	16362	37.18	14070	3.87	4.17	0.57	2.97	-0.00	0.32	0.28	0.18	0.17	0.00	41	-0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	3.89	3.86	4.49	9.94	11.57				
8.1	Connections including Group Housing Societies			1.036157			17.33	11526	2.04	2.20	0.08	0.95	0.00	0.09	0.08	0.05	0.06	0.00	30	-0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	2.05	1.13	1.32	5.49	6.41				
8.2	Freethreshers during the threshing season			1.203293			19.85	2544	1.83	1.97	0.49	2.02	-0.00	0.23	0.20	0.12	0.12	0.00	11	-0.00	-0.00	0.00	-0.00	-0.00	-0.00	-0.00	0.00	0.00	1.83	2.73	3.18	14.93	17.35				
8.3	connections including construction projects																											0.00	0.00	0.00	0.00	0.00					
9	Rs for E-Rickshaw/ E-Vehicle on Single Delivery Point			1.065333	5.05	672	0.01	565	1.59	1.66	0.00	0.71	-0.00	0.06	0.06	0.04	0.04	0.00	5	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	1.60	0.79	0.92	4.90	5.75	0.90				
9.1	Supply at LT	Rs. 4.50kWh		1.065333	4.95	671	0.01	565	1.59	1.66	0.00	0.71	-0.00	0.06	0.06	0.04	0.04	0.00	5	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	1.60	0.79	0.92	4.90	5.75					
9.1.1	Peak Hours (ToD)																																				
9.1.2	Off-Peak Hours (ToD)																																				
9.2	Supply at HT	Rs. 4.00kVAh			0.10	1																						0.00	0.00	0.00	0.00	0.00					
9.2.1	Peak Hours (ToD)																																				
9.2.2	Off-Peak Hours (ToD)																																				
Enforcement -E-Vehicle (See Note 3)																																			9.81	11.50	
10	Own Consumption(See Note 4)			1.386237	17.45	381	17.64	370	1.33	1.44																										1.33	
11	Staff			1.048411	9.49	3490	7.12	2662	0.68	0.74	0.04	0.09	0.00	0.01	0.01	0.01	0.01	0.00	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.69	0.14	0.16	2.01	2.32	0.36				
12	MISUSE			1.098467			1.17	128	0.06	0.07	0.06	0.09	-0.00	0.01	0.01	0.01	0.01	-0.00	18	-0.01	-0.02	0.00	-0.00	-0.00	-0.00	-0.00	0.00	0.06	0.14	0.16	22.65	26.08					
13	Other Adjustments (See Note 5)																																		8.47	9.85	
14	Section where Rate Category not found																																			0.01	
15	(-)Open Access Charges										1.24				0.15	0.10	0.05	0.00																	1.24	1.53	
Grand Total				1.058302	6016.23	1804126	5559.74	1543726	595.57		88.02	376.42	-0.13	42.10	37.44	23.37	21.50	-63.47	5108	-0.78	2.70	-0.01	0.29	0.18	0.10	0.15	-0.26	5.00	600.57	508.60	591.34	8.47	9.85	645.24			

* Tariff w.e.f 1-Sep-2020
 ** Excludes unbilled Revenue.
 *** Figures are as on 30-Nov-2020.

- Notes:
- 1.Fixed Charges includes load violation Charges where MDI exceeds Sanctioned Load.
 - 2.Energy Charges includes rebates given.
 - 3.Units pertaining to billed Enforcement revenue has been computed by dividing the Enforcement Revenue Collected by twice the average billing rate of the respective category for the Period without taking into account the enforcement sales.
 - 4.Amount pertaining to own consumption has been computed at Zero Tariff for actual recorded consumption subject to a maximum of 0.25% of total units sold during the Period.
 - 5.Units pertaining to other adjustments has been computed by dividing the other adjustments amount by the average billing rate for the period.
 - 6.Other Charges consists of TOD Surcharge / TOD Rebate.
 - 7.Subsidy disbursed in the bills is in respect of target consumers as notified by GoNCTD.
 - 8.Collection against temporary connection and misuse category is included in respective tariff category
 9. Consumption/amount of CCTV installation is covered under public utility category